

Status of the ELT data center


Anja Schlicht¹, Christoph Bamann¹, Stefan Marz¹, Christian Schwatke², Ulrich Schreiber¹, Ivan Prochazka³

¹ FESG, Technical University of Munich

² DGFI, Technical University of Munich

³ Czech Technical University of Prague


Potsdam, October 9th – 14th 2016




Uhrenturm der TUM

ELT time transfer principle


$$\tau_{\text{offset}} = (t_{\text{stop2}} + t_{\text{start}}) / 2 - t_{\text{stop1}}$$



Steps in the analysis: two-way data





Steps in the analysis: one-way data





Prefiltering necessary if 100Hz data in orbit and 10Hz data on ground


Steps in the analysis: one-way data




Steps in the analysis: one-way data




Steps in the analysis: time transfer data



Protocol as quick-lock data




ELT objectives




- Comparison of time transfer techniques (MWL, ELT, GNSS)
- Precision 3 ps @ 300 s ground-space
common view 3 ps
non-common view 5 ps @ 90 min
- accuracy 50 ps ground-space
25 ps ground-ground
- Calibration of the MWL

Data center structure



Challenges




- Orbit
- Single photon mode
- Short gate window in day-time
- Eye-safety requirements

- Handling of time on ground
- maser

Why should we do it?

„Make time an observable!“ (Ulrich Schreiber)


T2L2 and ELT monitor your
distribution of time on ground!!!




Why should we do it?

„Combination of SLR and GNSS“ (Urs Hugentobler)

- Co-location
- High precision
- One-way and two-way



Why should we do it?



It's a lot we expect from the stations ...

Please contact us if you have some problems, need some software, ...

All individual parts of ELT requirements you will need in future transponder or time transfer experiments ...

... it's an extreme test ...

... be prepare for spring 2018 ...

It's worth it!!!